



4-inch AC/DC Hybrid pump solar submersible pump with plastic impeller for irrigation





4 INCH AC/DC HYBRID SOLAR PUMP WITH PLASTIC IMPELLER

4" PLASTIC IMPELLER SOLAR PUMP					
Model	Power(W)	Voltage(V)	Max flow(m3/h)	Max head(m)	Outlet(inch)
4BMR4.5-85-110-750-A/D	750	110	4.5	85	1.25"
4BMR7.5-65-110-750-A/D	750	110	7.5	65	1.5"
4BMR7.5-100-150-1100-A/D	1100	150	7.5	100	1.5"
4BMR12-75-150-1100-A/D	1100	150	12	75	2"
4BMR14.5-45-110-750-A/D	750	110	14.5	45	2"
4BMR15-55-150-1100-A/D	1100	150	15	55	2"
4BMR15.5-70-200-1500-A/D	1500	200	15.5	70	2"
4BMR11.5-100-200-1500-A/D	1500	200	11.5	100	2"
4BMR7.5-110-200-1500-A/D	1500	200	7.5	110	2"
4BMR20-45-200-1500-A/D	1500	200	20	45	2"
4BMR22-70-300-2200-A/D	2200	300	22	70	2"
4BMR17-95-300-2200-A/D	2200	300	17	95	2"



4-inch AC/DC Hybrid pump solar submersible pump with plastic impeller for irrigation

4 INCH AC/DC HYBRID SOLAR PUMP WITH PLASTIC IMPELLER





CONTROLLER INTERNAL WIRING

